


DIN 965 — 90° FLAT COUNTERSUNK HEAD

PUNCH NUMBERS


SCREW SIZE	PHILLIPS		POZIDRIV		1A	
1.6	965-1.6	7/16	PZ965-1.6	7/16	1A965-1.6	7/16
2	965-2	7/16	PZ965-2	7/16	1A965-2	7/16
2.5	965-2.5	7/16	PZ965-2.5	7/16	1A965-2.5	7/16
3	965-3	7/16	PZ965-3	7/16	1A965-3	7/16
3.5	965-3.5	7/16	PZ965-3.5	7/16	1A965-3.5	7/16
4	965-4	9/16	PZ965-4	9/16	1A965-4	9/16
5	965-5	9/16	PZ965-5	9/16	1A965-5	9/16
6	965-6	7/8	PZ965-6	7/8	1A965-6	7/8
8	965-8	1	PZ965-8	1	1A965-8	1
10	965-10	1	PZ965-10	1	1A965-10	1



DIN 966 — 90° OVAL COUNTERSUNK HEAD

PUNCH NUMBERS

SCREW SIZE	PHILLIPS		POZIDRIV		1A	
1.6	966-1.6	7/16	PZ966-1.6	7/16	1A966-1.6	7/16
2	966-2	7/16	PZ966-2	7/16	1A966-2	7/16
2.5	966-2.5	7/16	PZ966-2.5	7/16	1A966-2.5	7/16
3	966-3	7/16	PZ966-3	7/16	1A966-3	7/16
3.5	966-3.5	7/16	PZ966-3.5	7/16	1A966-3.5	7/16
4	966-4	9/16	PZ966-4	9/16	1A966-4	9/16
5	966-5	9/16	PZ966-5	9/16	1A966-5	9/16
6	966-6	7/8	PZ966-6	7/8	1A966-6	7/8
8	966-8	1	PZ966-8	1	1A966-8	1
10	966-10	1	PZ966-10	1	1A966-10	1




WARNING

Any heading punch may break or shatter under improper use. Government regulations require use of safety glasses and other appropriate safety equipment at all times in the vicinity of use.

DIN 7981 — PAN HEAD

PUNCH NUMBERS


SCREW SIZE	PHILLIPS		POZIDRIV		1A	
2.2	7981-2.2	7/16	PZ7981-2.2	7/16	1A7981-2.2	7/16
2.9	7981-2.9	7/16	PZ7981-2.9	7/16	1A7981-2.9	7/16
3.5	7981-3.5	7/16	PZ7981-3.5	7/16	1A7981-3.5	7/16
3.9	7981-3.9	9/16	PZ7981-3.9	9/16	1A7981-3.9	9/16
4.2	7981-4.2	9/16	PZ7981-4.2	9/16	1A7981-4.2	9/16
4.8	7981-4.8	9/16	PZ7981-4.8	9/16	1A7981-4.8	9/16
5.5	7981-5.5	7/8	PZ7981-5.5	7/8	1A7981-5.5	7/8
6.3	7981-6.3	7/8	PZ7981-6.3	7/8	1A7981-6.3	7/8



DIN 7982 — 80° FLAT COUNTERSUNK HEAD

PUNCH NUMBERS

SCREW SIZE	PHILLIPS		POZIDRIV		1A	
2.2	7982-2.2	7/16	PZ7982-2.2	7/16	1A7982-2.2	7/16
2.9	7982-2.9	7/16	PZ7982-2.9	7/16	1A7982-2.9	7/16
3.5	7982-3.5	7/16	PZ7982-3.5	7/16	1A7982-3.5	7/16
3.9	7982-3.9	9/16	PZ7982-3.9	9/16	1A7982-3.9	9/16
4.2	7982-4.2	9/16	PZ7982-4.2	9/16	1A7982-4.2	9/16
4.8	7982-4.8	9/16	PZ7982-4.8	9/16	1A7982-4.8	9/16
5.5	7982-5.5	7/8	PZ7982-5.5	7/8	1A7982-5.5	7/8
6.3	7982-6.3	7/8	PZ7982-6.3	7/8	1A7982-6.3	7/8




WARNING

Any heading punch may break or shatter under improper use. Government regulations require use of safety glasses and other appropriate safety equipment at all times in the vicinity of use.

DIN 7983 — 80° OVAL COUNTERSUNK HEAD

PUNCH NUMBERS


SCREW SIZE	PHILLIPS		POZIDRIV		1A	
2.2	7983-2.2	7/16	PZ7983-2.2	7/16	1A7983-2.2	7/16
2.9	7983-2.9	7/16	PZ7983-2.9	7/16	1A7983-2.9	7/16
3.5	7983-3.5	7/16	PZ7983-3.5	7/16	1A7983-3.5	7/16
3.9	7983-3.9	9/16	PZ7983-3.9	9/16	1A7983-3.9	9/16
4.2	7983-4.2	9/16	PZ7983-4.2	9/16	1A7983-4.2	9/16
4.8	7983-4.8	9/16	PZ7983-4.8	9/16	1A7983-4.8	9/16
5.5	7983-5.5	7/8	PZ7983-5.5	7/8	1A7983-5.5	7/8
6.3	7983-6.3	7/8	PZ7983-6.3	7/8	1A7983-6.3	7/8



DIN 7985 — CHEESE HEAD

PUNCH NUMBERS

SCREW SIZE	PHILLIPS		POZIDRIV		1A	
1.6	7985-1.6	7/16	PZ7985-1.6	7/16	1A7985-1.6	7/16
2	7985-2	7/16	PZ7985-2	7/16	1A7985-2	7/16
2.5	7985-2.5	7/16	PZ7985-2.5	7/16	1A7985-2.5	7/16
3	7985-3	7/16	PZ7985-3	7/16	1A7985-3	7/16
3.5	7985-3.5	7/16	PZ7985-3.5	7/16	1A7985-3.5	7/16
4	7985-4	9/16	PZ7985-4	9/16	1A7985-4	9/16
5	7985-5	9/16	PZ7985-5	9/16	1A7985-5	9/16
6	7985-6	7/8	PZ7985-6	7/8	1A7985-6	7/8
8	7985-8	1	PZ7985-8	1	1A7985-8	1
10	7985-10	1-1/4	PZ7985-10	1-1/4	1A7985-10	1-1/4




WARNING

Any heading punch may break or shatter under improper use. Government regulations require use of safety glasses and other appropriate safety equipment at all times in the vicinity of use.


DIN 7995 — 90° OVAL COUNTERSUNK HEAD

SCREW SIZE	PUNCH NUMBERS					
	PHILLIPS		POZIDRIV		1A	
2	7995-2	7/16	PZ7995-2	7/16	1A7995-2	7/16
2.5	7995-2.5	7/16	PZ7995-2.5	7/16	1A7995-2.5	7/16
3	7995-3	7/16	PZ7995-3	7/16	1A7995-3	7/16
3.5	7995-3.5	7/16	PZ7995-3.5	7/16	1A7995-3.5	7/16
4	7995-4	9/16	PZ7995-4	9/16	1A7995-4	9/16
5	7995-5	9/16	PZ7995-5	9/16	1A7995-5	9/16
5.5	7995-5.5	7/8	PZ7995-5.5	7/8	1A7995-5.5	7/8
6	7995-6	7/8	PZ7995-6	7/8	1A7995-6	7/8
8	7995-8	1	PZ7995-8	1	1A7995-8	1



DIN 7996 — ROUND HEAD

SCREW SIZE	PUNCH NUMBERS					
	PHILLIPS		POZIDRIV		1A	
2.2	7996-2.2	7/16	PZ7996-2.2	7/16	1A7996-2.2	7/16
2.5	7996-2.5	7/16	PZ7996-2.5	7/16	1A7996-2.5	7/16
3	7996-3	7/16	PZ7996-3	7/16	1A7996-3	7/16
3.5	7996-3.5	7/16	PZ7996-3.5	7/16	1A7996-3.5	7/16
4	7996-4	9/16	PZ7996-4	9/16	1A7996-4	9/16
4.5	7996-4.5	9/16	PZ7996-4.5	9/16	1A7996-4.5	9/16
5	7996-5	9/16	PZ7996-5	9/16	1A7996-5	9/16
5.5	7996-5.5	7/8	PZ7996-5.5	7/8	1A7996-5.5	7/8
6	7996-6	7/8	PZ7996-6	7/8	1A7996-6	7/8
7	7996-7	7/8	PZ7996-7	7/8	1A7996-7	7/8
8	7996-8	1	PZ7996-8	1	1A7996-8	1




WARNING

Any heading punch may break or shatter under improper use. Government regulations require use of safety glasses and other appropriate safety equipment at all times in the vicinity of use.

DIN 7997 — 90° FLAT COUNTERSUNK HEAD

SCREW SIZE	PUNCH NUMBERS					
	PHILLIPS		POZIDRIV		1A	
2.5	7997-2.5	7/16	PZ7997-2.5	7/16	1A7997-2.5	7/16
3	7997-3	7/16	PZ7997-3	7/16	1A7997-3	7/16
3.5	7997-3.5	7/16	PZ7997-3.5	7/16	1A7997-3.5	7/16
4	7997-4	7/16	PZ7997-4	7/16	1A7997-4	7/16
4.5	7997-4.5	9/16	PZ7997-4.5	9/16	1A7997-4.5	9/16
5	7997-5	9/16	PZ7997-5	9/16	1A7997-5	9/16
5.5	7997-5.5	7/8	PZ7997-5.5	7/8	1A7997-5.5	7/8
6	7997-6	7/8	PZ7997-6	7/8	1A7997-6	7/8
7	7997-7	7/8	PZ7997-7	7/8	1A7997-7	7/8
8	7997-8	1	PZ7997-8	1	1A7997-8	1



WARNING

Any heading punch may break or shatter under improper use. Government regulations require use of safety glasses and other appropriate safety equipment at all times in the vicinity of use.