


HEXAGON WASHER HEAD INSERTS

CONTAINED WASHER

SCREW SIZE	HEX SIZE	CODE	A +0.001 -0.001	B +0.0005 -0.0000	C +0.003 -0.000	D +1/64 -0	E +1/64 -0	F +0.003 -0.000	G
4	3/16	HWI-187	0.182	0.5520	0.750	5/16	5/16	0.009	0.234
5	3/16	HWI-187-1	0.182	0.5520	0.750	5/16	5/16	0.013	0.250
6	1/4	HWI-250-2	0.245	0.5520	0.750	5/16	5/16	0.016	0.315
6	1/4	HWI-250-1	0.245	0.7400	0.750	3/8	5/16	0.013	0.315
8	1/4	HWI-250-3	0.245	0.5520	0.750	5/16	5/16	0.017	0.335
8	1/4	HWI-250-4**	0.245	0.7400	0.750	3/8	5/16	0.017	0.335
10	5/16	HWI-312**	0.306	0.7400	0.750	7/16	5/16	0.017	0.400
10	5/16	HWI-312-1**	0.306	0.5520	0.750	3/8	5/16	0.017	0.400
12	5/16	HWI-312-2	0.306	0.7400	0.750	7/16	5/16	0.020	0.415
1/4	3/8	HWI-375**	0.368	0.9900	1.000	1/2	9/16	0.028	0.500
1/4	3/8	HWI-375-2**	0.368	0.7400	0.750	1/2	5/16	0.023	0.500
1/4	7/16	HWI-437	0.429	0.9900	1.000	0.503	1/2	0.035	0.500
5/16	1/2	HWI-500	0.492	0.9900	1.000	5/8	1/2	0.030	0.650
5/16	1/2	HWI-500-1	0.492	1.2400	1.000	5/8	1/2	0.030	0.650
3/8	9/16	HWI-562	0.554	1.2400	1.000	3/4	1/2	0.032	0.750

** IN STOCK ITEM



WARNING


Any heading punch may break or shatter under improper use. Government regulations require use of safety glasses and other appropriate safety equipment at all times in the vicinity of use.

HEXAGON WASHER HEAD INSERTS

FREE FLOWED WASHER

SCREW SIZE	HEX SIZE	CODE	A +0.001 -0.001	B +0.0005 -0.0000	C +0.003 -0.000	D +1/64 -0	E +1/64 -0
2-3	1/8	HI-125	0.121	0.5520	0.750	5/16	1/2
4-5	3/16	HI-187	0.182	0.5520	0.750	5/16	5/16
4-5	3/16	HI-187-1	0.182	0.7400	0.750	3/8	5/16
6-8	1/4	HI-250**	0.245	0.5520	0.750	5/16	5/16
6-8	1/4	HI-250-1**	0.245	0.7400	0.750	3/8	5/16
10-12	5/16	HI-312**	0.306	0.7400	0.750	7/16	5/16
10-12	5/16	HI-312-1**	0.306	0.5520	0.750	3/8	5/16
1/4	3/8	HI-375**	0.368	0.9900	1.000	1/2	9/16
1/4	3/8	HI-375-2**	0.368	0.7400	0.750	1/2	5/16
1/4	7/16	HI-437**	0.429	0.9900	1.000	1/2	1/2
5/16	1/2	HI-500**	0.492	0.9900	1.000	5/8	1/2
5/16	1/2	HI-500-1**	0.492	1.2400	1.000	5/8	1/2
3/8	9/16	HI-562**	0.553	1.2400	1.000	3/4	1/2
3/8	9/16	HI-562-1	0.553	1.4900	1.000	3/4	1/2
7/16	5/8	HI-625**	0.612	1.4900	1.000	3/4	1/4
1/2	3/4	HI-750**	0.737	1.4900	1.000	1 1/64	1/4

** IN STOCK ITEM



WARNING


Any heading punch may break or shatter under improper use. Government regulations require use of safety glasses and other appropriate safety equipment at all times in the vicinity of use.

METRIC HEXAGON WASHER HEAD INSERTS

FREE FLOWED TYPE

NOMINAL HEX A/F	CODE	A (MM)	B +0.0005 -0.0000	C +0.003 -0.000	D + 1/64 - 0	E + 1/64 - 0
4	MHI-4	3.89	0.5520	0.750	5/16	5/16
5	MHI-5	4.85	0.5520	0.750	5/16	5/16
5.5	MHI-5.5**	5.36	0.5520	0.750	5/16	5/16
6	MHI-6**	5.87	0.5520	0.750	5/16	5/16
7	MHI-7**	6.83	0.7400	0.750	3/8	3/8
7	MHI-7-3**	6.83	0.5520	0.750	5/16	3/8
8	MHI-8**	7.85	0.7400	0.750	7/16	3/8
8	MHI-8-2	7.85	0.5520	0.552	3/8	3/8
10	MHI-10**	9.83	0.7400	0.750	1/2	3/8
10	MHI-10-1**	9.83	0.9900	1.000	1/2	9/16
11	MHI-11	10.82	0.9900	1.000	1/2	1/2
12	MHI-12**	11.81	0.9900	1.000	5/8	1/2
13	MHI-13**	12.80	0.9900	1.000	5/8	1/2
13	MHI-13-1**	12.80	1.2400	1.000	5/8	1/2
15	MHI-15**	14.80	1.2400	1.000	3/4	1/2
16	MHI-16**	15.77	1.2400	1.000	3/4	1/2
17	MHI-17**	16.79	1.2400	1.000	3/4	1/2
18	MHI-18	17.78	1.4900	1.250	1	5/8
19	MHI-19	18.71	1.4900	1.250	1	5/8
21	MHI-21	20.78	1.4900	1.250	1	5/8

** IN STOCK ITEM



WARNING

Any heading punch may break or shatter under improper use. Government regulations require use of safety glasses and other appropriate safety equipment at all times in the vicinity of use.

HEXAGON WASHER HEAD INSERTS


FLANGE TYPE

SCREW SIZE	HEX SIZE	CODE*	A ±0.001	B +0.0005 -0.0000	C +0.003 -0.000	D + 1/64 - 0	E + 1/64 - 0
4	3/16	HI-187-FL	0.182	0.5520	0.750	5/16	5/16
5	3/16	HI-187-1-FL	0.182	0.7400	0.750	3/8	5/16
6-8	1/4	HI-250-FL	0.245	0.5520	0.750	5/16	5/16
6-8	1/4	HI-250-1-FL	0.245	0.7400	0.750	3/8	5/16
10-12	5/16	HI-312-FL	0.306	0.7400	0.750	7/16	5/16
10	5/16	HI-312-1-FL	0.306	0.5520	0.750	3/8	5/16
1/4	3/8	HI-375-FL	0.368	0.9900	1.000	1/2	9/16
5/16	1/2	HI-500-FL	0.492	0.9900	1.000	5/8	1/2
5/16	1/2	HI-500-1-FL	0.492	1.2400	1.000	5/8	1/2
3/8	9/16	HI-562-FL	0.554	1.2400	1.000	3/8	1/2

METRIC FLANGE TYPE

NOMINAL HEX A/F	CODE*	A (mm)	A ±0.001	B +0.0005 -0.0000	C +0.003 -0.000	D + 1/64 - 0	E + 1/64 - 0
5	MHI-5-FL	4.85	0.191	0.5520	0.750	5/16	5/16
5.5	MHI-5.5-FL	5.36	0.211	0.5520	0.750	5/16	5/16
6	MHI-6-FL	5.87	0.231	0.5520	0.750	5/16	5/16
7	MHI-7-FL	6.83	0.269	0.7400	0.750	3/8	3/8
7	MHI-7-3-FL	6.83	0.269	0.5520	0.750	5/16	3/8
8	MHI-8-FL	7.85	0.309	0.7400	0.750	3/8	3/8
8	MHI-8-2-FL	7.85	0.309	0.5520	0.750	3/8	3/8
10	MHI-10-FL	9.83	0.387	0.7400	0.750	1/2	3/8
10	MHI-10-1-FL	9.83	0.387	0.9900	1.000	1/2	9/16
11	MHI-11-FL	10.82	0.426	0.9900	1.000	1/2	1/2
12	MHI-12-FL	11.81	0.465	0.9900	1.000	5/8	1/2
13	MHI-13-FL	12.80	0.504	0.9900	1.000	5/8	1/2
13	MHI-13-1-FL	12.80	0.504	1.2400	1.000	5/8	1/2
15	MHI-15-FL	14.80	0.582	1.2400	1.000	3/4	1/2

*Specify P and G when ordering.



PRICES FURNISHED UPON REQUEST

WARNING

Any heading punch may break or shatter under improper use. Government regulations require use of safety glasses and other appropriate safety equipment at all times in the vicinity of use.